

**BID DATE: 11/24/2020
KINSLEY NO. 203108**

Line No.	Alt Code	Item No.	Short Description	QTY	Unit	Unit Price
100		2201-0001	CLEARING AND GRUBBING	1	LS	
200		2203-0001	CLASS 1 EXCAVATION	6739	CY	
300		2203-0004	CLASS 1B EXCAVATION	160	CY	
400		2203-2102	TEMPORARY SHORING EB-719	1	LS	
500		2203-2103	TEMPORARY SHORING RE 310.32EB	1	LS	
600		2203-2104	TEMPORARY SHORING MPT	1	LS	
700		2204-0001	CLASS 2 EXCAVATION	599	CY	
800		2204-1008	OVER-EXCAVATION & BACKFILLING UNDER FOUNDATIONS CL. C CONCRETE	1030	CY	
900		2204-1010	OVER-EXCAVATION & BACKFILLING UNDER FOUNDATIONS NO. 2RC AGG.	370	CY	
1000		0205-0100	FOREIGN BORROW EXCAVATION	2126	CY	
1100		2205-0276	SELECTED BORROW EXCAVATION ROCK TYPE B	1375	CY	
1200		0205-0382	SELECTED BORROW EXCAVATION COARSE AGGREGATE NO. 3	368	TON	
1300		0205-0385	SELECTED BORROW EXCAVATION COARSE AGGREGATE NO. 57	47	TON	
1400		0206-0010	SELECT GRANULAR MATERIAL (2RC)	314	TON	
1500		0212-0001	GEOTEXTILE CLASS 1	1528	LF	
1600		0212-0014	GEOTEXTILE CLASS 4 TYPE A	2626	SY	
1700		2309-0637	SUPERPAVE ASPHALT MIXTURE DESIGN HMA BASE COURSE PG 64-22 10 TO < 30 MILLION ESALS 25.0 MM MIX	3443	TON	
1800		0316-0534	SUPERPAVE ASPHALT MIXTURE DESIGN FLEXIBLE BASE REPLACEMENT PG 64-22 3 TO < 10 MILLION ESALS 25.0 MM MIX 10" DEPTH	79	SY	
1900		2350-0121	SUBBASE (NO. 2A)	1115	TON	
2000		2350-4121	SUBBASE UNDER GUIDE RAIL	590	TON	
2100		2409-0761	SUPERPAVE ASPHALT MIXTURE DESIGN HMA WEARING COURSE PG 76-22 10 TO < 30 MILLION ESALS 12.5 MM MIX SRL-E	2821	TON	
2200		2409-6670	SUPERPAVE ASPHALT MIXTURE DESIGN HMA BINDER COURSE PG 64-22 10 TO < 30 MILLION ESALS 19 MM MIX	975	TON	
2300		0420-0002	PERVIOUS 9.5MM WEARING COURSE	82	TON	
2400		0420-0012	PERVIOUS 19.0MM BINDER COURSE	134	TON	
2500		2491-0063	MILLING OF BITUMINOUS PAVEMENT SURFACE 1 1/2" DEPTH	4106	SY	
2600		2491-0064	MILLING OF BITUMINOUS PAVEMENT SURFACE 2" DEPTH	16040	SY	
2700		2499-1000	PAYMENT ADJUSTMENT FOR ASPHALT MATERIALS	1	PDA	10000
2800	OA1	2601-0400	18" THERMOPLASTIC PIPE GROUP VI 15'-2' FILL	148	LF	
2900	OA2	2601-7014	18" REINFORCED CONCRETE PIPE TYPE A 15' - 2' FILL	148	LF	
3000	OB1	2601-0400	18" THERMOPLASTIC PIPE GROUP VI 15'-2' FILL	56	LF	
3100	OB2	2601-7014	18" REINFORCED CONCRETE PIPE TYPE A 15' - 2' FILL	56	LF	
3200	OB3	2601-9653	18" CORRUGATED GALVANIZED STEEL PIPE TYPE I POLYMER COATED (2 2/3" X 1/2" CORRUGATIONS) 16 GAGE	56	LF	
3300		2601-7014	18" REINFORCED CONCRETE PIPE TYPE A 15' - 2' FILL	32	LF	
3400		2601-7044	30" REINFORCED CONCRETE PIPE TYPE A 20' - 1.5' FILL	44	LF	
3500		2605-0010	TYPE M INLET STD BOX HEIGHT <= 10' CONDITION 1BC	4	EA	
3600		2605-2013	TYPE M INLET STD BOX HEIGHT <= 10' BICYCLE SAFE GRATE CONDITION 2BC	3	EA	
3700		2605-2030	TYPE C INLET STD BOX HEIGHT <= 10' BICYCLE SAFE GRATE CONDITION 2BC	1	EA	
3800		2605-2350	INLET CONDITION 4	3	EA	
3900		2605-2600	TYPE D ENDWALL	2	EA	
4000		2606-0001	TYPE C INLET CONDITION 5F	2	EA	
4100		0608-0001	MOBILIZATION	1	LS	
4200		2609-0003	INSPECTOR'S FIELD OFFICE AND INSPECTION FACILITIES TYPE B	1	LS	
4300		2610-0000	PIPE UNDERDRAIN TYPE I BACKFILL	242	LF	
4400		0610-7002	6" PAVEMENT BASE DRAIN	1528	LF	
4500		2615-0022	6" SUBSURFACE DRAIN OUTLETS	136	LF	
4600		2615-0040	SUBSURFACE DRAIN OUTLET ENDWALL	5	EA	
4700		2616-1202	CONCRETE END SECTIONS FOR 18" PIPE	1	EA	
4800		0619-0459	PERM. IMPACT ATTENUATING DEVICE TYPE II TEST LEVEL 3 TANGENT (MASH)	4	EA	
4900		2620-0010	TYPICAL AND ALTERNATE CONCRETE BRIDGE BARRIER TRANSITION WITHOUT INLET PLACEMENT	4	EA	
5000		2620-0400	TERMINAL SECTION SINGLE	3	EA	
5100		2620-0503	REMOVE EXISTING GUIDE RAIL	2162.5	LF	

BID DATE: 11/24/2020
KINSLEY NO. 203108

Line No.	Alt Code	Item No.	Short Description	QTY	Unit	Unit Price
5200		2620-1250	VEHICLE ATTENUATING TERMINAL END TREATMENT (V.A.T.E.T.) TYPE II TEST LEVEL 3 - MASH (ENERGY ABSORBING TERMINALS TANGENT)	2	EA	
5300		2620-1600	TYPE 31-S GUIDE RAIL	1687.5	LF	
5400		2620-1625	TYPE 31-SC GUIDE RAIL	50	LF	
5500		2620-1660	TYPE 31-STRONG POST ANCHOR TERMINAL	3	EA	
5600	OC1	4621-0001	RETAINING WALL AS DESIGNED RE 310.32 EB	1	LS	
			CLASS 3 EXCAVATION	3000	CY	
			NO. 57 COARSE AGGREGATE (SEE NOTE 2)	250	CY	
			CLASS AA CEMENT CONCRETE	160	CY	
			CLASS A CEMENT CONCRETE	5	CY	
			PROTECTIVE FENCE (SEE NOTE 1)	215	LF	
			SPECIFIED BACKFILL (MSE) (SEE NOTE 1)	2900	CY	
			REINFORCEMENT BARS, EPOXY (SEE NOTE 5)	16100	LB	
			ARCHITECTURAL SURFACE TREATMENT (SEE NOTE 1)	5130	SF	
			AESTHETIC CONCRETE COATING, BEIGE (SEE NOTE 1)	625	SF	
			AESTHETIC CONCRETE COATING, PURE WHITE (SEE NOTE 1)	1060	SF	
			MECHANICALLY STABILIZED EARTH WALL (SEE NOTES 1 AND 3)	4500	SF	
5700	OC2	4000-0002	REINFORCED CONCRETE RETAINING WALL RC 310.32 EB	1	LS	
5800	OC3	4000-0003	PREFABRICATED T-WALL RETAINING WALL TW 310.32 EB	1	LS	
5900	OC4	4000-0004	SOLDIER PILE RETAINING WALL PP 310.32 EB	1	LS	
6000		2622-0001	CONCRETE GLARE SCREEN	2359	LF	
6100		2622-0048	REMOVE TRANSITION SECTION 34" JERSEY TO 52" F-SHAPE	2	EA	
6200		2622-2001	PRECAST PIER TRANSITION	2	EA	
6300		2623-0005	REMOVE CONCRETE MEDIAN BARRIER 34"	2410	LF	
6400		2624-0001	RIGHT-OF-WAY FENCE TYPE 1	2256	LF	
6500		2624-0300	END POSTS FOR TYPE 1 RIGHT-OF-WAY FENCE	11	EA	
6600		2624-0400	CORNER POSTS FOR TYPE 1 RIGHT-OF-WAY FENCE	20	EA	
6700		2624-0500	PULL POSTS FOR TYPE 1 RIGHT-OF-WAY FENCE	11	EA	
6800		2624-0725	VEHICULAR GATE FOR TYPE 1 RIGHT-OF-WAY FENCE 15-FOOT OPENING	2	EA	
6900		2627-1001	FURNISH AND INSTALL TEMPORARY CONCRETE BARRIER	5078	LF	
7000		2627-1021	FURNISH AND INSTALL TEMPORARY CONCRETE BARRIER STRUCTURE MOUNTED	184	LF	
7100		2628-0001	RESET TEMPORARY CONCRETE BARRIER	1327	LF	
7200		2628-0020	RESET TEMPORARY CONCRETE BARRIER STRUCTURE MOUNTED	184	LF	
7300		0630-0001	PLAIN CEMENT CONCRETE CURB	457	LF	
7400		3630-0001	PLAIN CEMENT CONCRETE CURB 4" HEIGHT	236	LF	
7500		2660-0031	SONIC NAP ALERT PATTERN (S.N.A.P.)	5001	EA	
7600		0676-0001	CEMENT CONCRETE SIDEWALK	42	SY	
7700		2686-0010	CONSTRUCTION SURVEYING TYPE A	1	LS	
7800		2686-0050	CONSTRUCTION SURVEYING TYPE D	1	LS	
7900		0695-0004	DETECTABLE WARNING SURFACE POLYMER COMPOSITE	75	SF	
8000		2696-0200	REPAIR OF TEMPORARY IMPACT ATTENUATING DEVICE	1	PDA	5000
8100		2696-0610	TEMP. IMPACT ATTENUATING DEVICE TYPE V (STD) TEST LEVEL 3	5	EA	
8200		2697-0639	RESET TEMP. IMPACT ATTENUATING DEVICE TYPE V (STD) TEST LEVEL 3	4	EA	
8300		0803-0002	PLACING STOCKPILED TOPSOIL MIXTURE	1240	CY	
8400		2804-0011	SEEDING AND SOIL SUPPLEMENTS - FORMULA B	47	LB	
8500		2804-0013	SEEDING AND SOIL SUPPLEMENTS - FORMULA D	485	LB	
8600		2804-0014	SEEDING - FORMULA E	20	LB	
8700		2804-0048	SEEDING AND SOIL SUPPLEMENTS - DETENTION BASIN FLOOR	5	LB	
8800		2804-0103	SEEDING AND SOIL SUPPLEMENTS - FORMULA BT-2	83	LB	
8900		2805-0022	MULCHING - STRAW	8.2	TON	
9000		0806-0140	PERMANENT ROLLED EROSION CONTROL PRODUCT TYPE 5A	1902	SY	
9100		2811-0002	TEMPORARY PROTECTIVE FENCE	1783	LF	
9200		2845-0001	EROSION AND SEDIMENTATION CONTROL DURING CONSTRUCTION	1	PDA	5000
9300		2849-0001	ROCK CONSTRUCTION ENTRANCE	4	EA	
9400		2850-0022	ROCK LINING CLASS R-4	561	SY	
9500		2850-0023	ROCK LINING CLASS R-5	29	SY	
9600		2850-0040	ROCK ARMOR	256	LF	

**BID DATE: 11/24/2020
KINSLEY NO. 203108**

Line No.	Alt Code	Item No.	Short Description	QTY	Unit	Unit Price
9700		2858-0010	SEDIMENT FILTER BAG	2	EA	
9800		2860-0003	INLET FILTER BAG FOR TYPE M OR TYPE S INLET	6	EA	
9900		0867-0012	COMPOST FILTER SOCK 12" DIAMETER	60	LF	
10000		0867-0018	COMPOST FILTER SOCK 18" DIAMETER	2499	LF	
10100		0867-0022	COMPOST FILTER SOCK 24" DIAMETER	1212	LF	
10200		0867-0032	COMPOST FILTER SOCK 32" DIAMETER	460	LF	
10300		0872-0001	CONCRETE ANTI-SEEP COLLAR	1	EA	
10400		0875-0001	CONCRETE OUTLET STRUCTURE	1	EA	
10500		2901-0001	MAINTENANCE AND PROTECTION OF TRAFFIC	1	LS	
10600		2901-0203	ARROW PANEL	4	EA	
10700		2901-0320	4" STANDARD PAVEMENT MARKINGS PAINT & BEADS YELLOW	8572	LF	
10800		2901-0321	6" STANDARD PAVEMENT MARKINGS PAINT & BEADS YELLOW	2599	LF	
10900		2901-0330	4" STANDARD PAVEMENT MARKINGS PAINT & BEADS WHITE	12481	LF	
11000		2901-0331	6" STANDARD PAVEMENT MARKINGS PAINT & BEADS WHITE	2462	LF	
11100		2901-0334	24" STANDARD PAVEMENT MARKINGS PAINT & BEADS WHITE	88	LF	
11200		2901-0498	PORTABLE CHANGEABLE MESSAGE SIGNS 3 LINES 8 CHARACTERS PER LINE	4	EA	
11300		2901-0499	PORTABLE CHANGEABLE MESSAGE SIGNS 3 LINES 12 CHARACTERS PER LINE	2	EA	
11400		2901-0501	SHADOW VEHICLE WITH TRUCK MOUNTED ATTENUATOR (TMA)	4	EA	
11500		4901-9999	COVID-19 SAFETY PLAN SIGNS	3	EA	
11600		2931-0001	POST MOUNTED SIGNS TYPE B	33	SF	
11700		2935-0001	POST MOUNTED SIGNS TYPE F	3	SF	
11800		2936-0200	STRUCTURE MOUNTED FLAT SHEET ALUMINUM SIGNS	22	SF	
11900		0941-0001	RESET POST MOUNTED SIGNS TYPE B	2	EA	
12000		0945-0001	RESET POST MOUNTED SIGNS TYPE F	2	EA	
12100		0960-0001	4" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS	2570	LF	
12200		0960-0002	4" YELLOW HOT THERMOPLASTIC PAVEMENT MARKINGS	2450	LF	
12300		0960-0005	6" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS	135	LF	
12400		0960-0021	24" WHITE HOT THERMOPLASTIC PAVEMENT MARKINGS	79	LF	
12500		2963-0002	PAVEMENT MARKING REMOVAL	19291	LF	
12600		2964-0025	6" WHITE HIGHLY REFLECTORIZED POLYUREA PAVEMENT MARKINGS	6885	LF	
12700		2964-0026	6" YELLOW HIGHLY REFLECTORIZED POLYUREA PAVEMENT MARKINGS	5005	LF	
12800		0965-0257	WHITE PREFORMED THERMOPLASTIC LEGEND SHARED LANE MARKING	1	EA	
12900		0965-1025	PREFORMED THERMOPLASTIC DECORATIVE CROSSWALK TYPE E MAROON PATTERN / WHITE GROUT	620	SF	
13000		2018-0001	REMOVAL OF BRIDGE NO. EB-719 MP 310.36	1	LS	
13100	OD1	4030-0001	BRIDGE STRUCTURE AS DESIGNED EB-719	1	LS	
			CLASS 3 EXCAVATION	7480	CY	
			NO. 57 COARSE AGGREGATE (SEE NOTE 3)	20	CY	
			MEMBRANE WATER PROOFING SYSTEM INSTALLED ON OTHER SURFACES	181	SY	
			PRESTRESSED CONCRETE PA BULB-TEE BEAMS 33" X 47.25"	1092	LF	
			LAMINATED NEOPRENE BEARING PAD (SEE NOTE 4)	25	EA	
			CLASS A CEMENT CONCRETE	799	CY	
			CLASS AA CEMENT CONCRETE (SEE NOTE 1)	171	CY	
			CLASS AAP CEMENT CONCRETE (SEE NOTE 2)	253	CY	
			PROTECTIVE FENCE (SEE NOTE 6)	404	LF	
			SELECTED BORROW EXCAVATION STRUCTURE BACKFILL	3320	CY	
			ARCHITECTURAL SURFACE TREATMENT (SEE NOTE 6)	5760	SF	
			AESTHETIC CONCRETE COATING BEIGE (SEE NOTE 6)	4512	SF	
			AESTHETIC CONCRETE COATING PURE WHITE (SEE NOTE 6)	2061	SF	
			AESTHETIC CONCRETE COATING DARK BROWN (SEE NOTE 6)	2150	SF	
			6" STRUCTURE FOUNDATION DRAIN	90	LF	
			6" DIAMETER PVC PIPE (SCHEDULE 40)	100	LF	
13200	OD1	1002-0001	REBAR	22900	LB	
13300	OD1	1002-0053	REBAR EPOXY COATED	125200	LB	
13400	OD1	1002-0112	MECHANICAL SPLICE SYSTEM FOR NO. 5 REBAR	56	EA	
13500	OD1	1002-0114	MECHANICAL SPLICE SYSTEM FOR NO. 7 REBAR	21	EA	
13600	OD1	1002-0115	MECHANICAL SPLICE SYSTEM FOR NO. 8 REBAR	7	EA	

**BID DATE: 11/24/2020
KINSLEY NO. 203108**

Line No.	Alt Code	Item No.	Short Description	QTY	Unit	Unit Price
13700	OD1	1002-0152	MECHANICAL SPLICE SYSTEM FOR NO. 5 REBAR EPOXY COATED	660	EA	
13800	OD1	1002-0153	MECHANICAL SPLICE SYSTEM FOR NO. 6 REBAR EPOXY COATED	8	EA	
13900	OD1	1002-0220	STAINLESS STEEL REBAR	300	LB	
14000	OD2	4100-0001	ALT. STEEL BRIDGE STRUCTURE EB-719	1	LS	
14100		2090-0200	UNDERDECK PROTECTION SHIELDS	7692	SF	
14200		2090-0300	CANTILEVERED COMBINATION WORK PLATFORMS & PROTECTION SHIELDS	555	LF	
14300		4000-0001	AMENDED SOIL MIXTURE	626	CY	
14400		4000-0005	CONCRETE WASHOUT FACILITY	4	EA	
14500		4000-0006	30" REINFORCED CONCRETE PIPE TYPE A 20'-1.5' FILL JACK AND BORE	128	LF	
14600		4000-0007	PRICE ADJUSTMENT FOR STEEL COST FLUCTUATIONS	1	PDA	10000
14700		4000-0008	SINGLE FACE CONCRETE BRIDGE BARRIER	72	LF	
14800		4000-0009	SINGLE FACE CONCRETE BRIDGE BARRIER END TRANSITION - IN	1	EA	
14900		4000-0010	RESET EXISTING SPLIT-RAIL FENCE	1025	LF	
15000		4000-0012	TEMPORARY HEAVY DUTY PROTECTIVE FENCE	526	LF	
15100		4000-0013	RESET MAILBOX	1	EA	
15200		4000-0014	WASH RACK	4	EA	
15300		4000-0015	SINGLE FACE CONCRETE BRIDGE BARRIER END TRANSITION - OUT	1	EA	
15400		4000-0016	TEMPORARY CURB RAMP	1	LS	
15500		4000-0017	WATER METER PIT	1	EA	
15600		4000-0018	ROCK FILTER	1	EA	
15700		4000-0019	TEMPORARY TRAFFIC SIGNALS	1	LS	
15800		4000-0020	RESTORATION OF PARK ROAD TRAIL PHASE IV FACILITIES	1	PDA	10000